



*toxic gas is considered an asthma and allergy trigger.


Airfree® Patented Technology



Safest and Most Tested

Health Productivity Comfort

Life Quality Preservation Better Sleep



Test M00-4990 - Room 11 by SGS Natec - Hamburg, Germany



Mold and Mildew:

Main cause of histoplasmosis and Rhinitis. Mold also triggers respiratory allergies. Airfree® destroys airborne mold spores.



• Ozone:

Toxic gas that can damage lung tissue, causes chest pain, shortness of breath, throat irritation and can also trigger asthma. Its long term toxic effect is still unknown.



Dust mite allergens:

Independent Tests indicate that Airfree has the ability to control dust mite allergens such as Derp1 extremely well.

Bacteria

Responsible for many infectious diseases like meningitis, pneumonia and other major illnesses, are also destroyed by Airfree®.



Odors

Airfree® drastically reduces organic odors and residual tobacco smell, which can cause potential health complications.



Airborne viruses are responsible for infectious diseases such as the flu. SARS and other serious illnesses.

Why Airfree?

- Silent! No sound emission.
- No filters or UV lamps to replace! Replacement parts for other air purifiers may cost over \$200 a year.
- Economic! Airfree TSSTM technology uses less electricity than a 50W light bulb and does not require replacement parts that cost hundreds of dollars a year.
- Ozone and Ion free! Airfree TSS[™] technology is ozone and ion free and has no hazardous emission. Airfree[®] reduces toxic and corrosive ozone, which according to the EPA may trigger asthma and destroy lung tissue. Airfree[®] is the only technology that reduces ozone while simultaneously destroying microorganisms.
- Exclusive Natural and Clean Technology! Airfree[®] uses heat alone to incinerate airborne microorganisms. No fiber glass filters, triclosan coated paper or any type of material harmful to you or the environment when disposed of.
- Efficient! Airfree[®] Exclusive TSS[™] Technology has been tested in real working environments by credible ISO 17025 independent laboratories and universities in several countries.
- Easy to install and use! Just place Airfree[®] on the floor and plug it into the nearest electric outlet. No need for constant maintenance or special cleaning.
- Safe! No need to touch or change dirty and contaminated filters. Electrical safety is assured by the TUV seal of approval.
- Faster performance! Microorganism reduction begins just 15 minutes after Airfree[®] is plugged in.
- Durable! Airfree[®] has no moving parts, therefore, resulting in practically no wear and tear and a rigid durability.





P1000

Capacity:

450 sq ft

Electric consumption: 45W

Warranty: 2 years

Maintenance:

Color:

White

Dimension: 8.4"(diam) x 10.4"(height)

Platinum 2000

Capacity:

550 sq ft

Electric consumption: 48W

Warranty: 2 years

Maintenance: Free

Color: Platinum

Dimension: 8.4"(diam) x 10.4"(height)

Onix 3000

Capacity:

650 sq ft

Electric consumption: 52W

Warranty: 2 years

Maintenance: Free

Color: Black

Dimension: 8.4"(diam) x 10.4"(height)

Ozone FREE

For more in-depth information:

www.airfree.com
Email: info@airfree.com

